ELSEVIER

Brain Research 735 (1996) 360–362

BRAIN RESEARCH

Author Index

Ali, S.F., see Freyaldenhoven, T.E. (735) 232
Ali, S.F., see Freyaldenhoven, T.E. (735) 42
Arai, R., Jacobowitz, D.M. and Nagatsu, I.
Calretinin is differentially localized in magnocellular oxytocin neurons of the rat hypothalamus. A double-labeling immunofluorescence study (735) 154
Asano, S., see Takuma, K. (735) 265
Augstein, K.-H., see Van der Staay, F.J. (735) 271
Avoli, M., Nagao, T., Köhling, R., Lücke, A. and Mattia, D.
Synchronization of rat hippocampal neurons in the absence of excitatory amino acid-mediated transmission (735) 188

Baba, A., see Takuma, K. (735) 265
Back, T., see Yamashita, K. (735) 285
Bassi, L., see Fornai, F. (735) 349
Bédard, P.J., see Grondin, R. (735) 298
Bernardi, G., see Figueredo-Cardenas, G. (735) 317
Besharse, J.C., see Grace, M.S. (735) 93
Beyreuther, K., see Storey, E. (735) 217
Beyreuther, K., see Storey, E. (735) 59
Bicknell, R.J., see Condé, G.L. (735) 197
Bloms-Funke, P., see Löscher, W. (735) 208
Brand, M.P., Briddon, A., Land, J.M., Clark, J.B. and Heales, S.J.R.
Impairment of the nitric oxide/cyclic GMP pathway in cerebellar slices prepared from the *hph-1* mouse (735) 169
Briddon, A., see Brand, M.P. (735) 169
Brown, J., see Horner, C.H. (735) 354
Buda, C., see Ledoux, L. (735) 108
Butcher, S.P., see Sharkey, J. (735) 67

Cadet, J.L., see Freyaldenhoven, T.E. (735) 232
Chang, M.C.J., see De Micheli, E. (735) 36
Chino, T., see Nomura, T. (735) 314
Chopin, P., see Cosi, C. (735) 343
Chopp, M., see Jiang, N. (735) 101
Clark, J.B., see Brand, M.P. (735) 169
Clark, M.M., see Forger, N.G. (735) 119
Condé, G.L., Herbison, A.E., Fernandez-Galaz, C. and Bicknell, R.J.
Estrogen uncouples noradrenergic activation of Fos expression in the female rat preoptic area (735) 197
Corsini, G.U., see Fornai, F. (735) 349
Cosi, C., Chopin, P. and Marien, M.
Benzamide, an inhibitor of poly(ADP-ribose) polymerase, attenuates methamphetamine-induced dopamine neurotoxicity in the C57Bl/6N mouse (735) 343
Creveling, C.R., see Nomura, T. (735) 314

Dahchour, A., Quertemont, E. and De Witte, P.
Taurine increases in the nucleus accumbens microdialysate after acute ethanol administration to naive and chronically alcoholised rats (735) 9
Darlington, C.L., Lawlor, P., Smith, P.F. and Dragunow, M.
Temporal relationship between the expression of Fos, Jun and Krox-24 in the guinea pig vestibular nuclei during the development of vestibular compensation for unilateral vestibular deafferentation (735) 173
Davies, H.A., see Horner, C.H. (735) 354
Delorenzi, A., see Romano, A. (735) 131
De Micheli, E., Chang, M.C.J. and Rapoport, S.I.
In vivo imaging of cortical membrane remodeling in rats with chronic unilateral ablation of nucleus basalis magnocellularis: use of radiolabeled palmitic acid (735) 36
D'Errigo, D.A., see Fornai, F. (735) 349
De Witte, P., see Dahchour, A. (735) 9
Di Paolo, T., see Grondin, R. (735) 298
Dragunow, M., see Darlington, C.L. (735) 173

Englberger, W., see Selve, N. (735) 177

Feit, H., see Jiang, N. (735) 101
Fernandez-Galaz, C., see Condé, G.L. (735) 197
Figueredo-Cardenas, G., Morello, M., Sancesario, G., Bernardi, G. and Reiner, A.
Colocalization of somatostatin, neuropeptide Y, neuronal nitric oxide synthase and NADPH-diaphorase in striatal interneurons in rats (735) 317
Fincher, A., see Frye, G.D. (735) 239
Forger, N.G., Galef Jr., B.G. and Clark, M.M.
Intrauterine position affects motoneuron number and muscle size in a sexually dimorphic neuromuscular system (735) 119
Fornai, F., Torracca, M.T., Bassi, L., D'Errigo, D.A., Scalori, V. and Corsini, G.U.
Norepinephrine loss selectively enhances chronic nigrostriatal dopamine depletion in mice and rats (735) 349
Freyaldenhoven, T.E. and Ali, S.F.
Heat shock proteins protect cultured fibroblasts from the cytotoxic effects of MPP^+ (735) 42
Freyaldenhoven, T.E., Cadet, J.L. and Ali, S.F.
The dopamine-depleting effects of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine in CD-1 mice are gender-dependent (735) 232
Friderichs, E., see Selve, N. (735) 177
Fritze, K., see Yamashita, K. (735) 285
Frye, G.D. and Fincher, A.
Sensitivity of postsynaptic $GABA_B$ receptors on hippocampal CA1 and CA3 pyramidal neurons to ethanol (735) 239
Fujita, S., see Yamamura, H. (735) 83

Galef Jr., B.G., see Forger, N.G. (735) 119
Garrick, T., see Morrow, N.S. (735) 141
Goulet, M., see Grondin, R. (735) 298
Grace, M.S., Wang, L.A., Pickard, G.E., Besharse, J.C. and Menaker, M.
The *tau* mutation shortens the period of rhythmic photoreceptor outer segment disk shedding in the hamster (735) 93
Gregory, J.E., see Wise, A.K. (735) 125
Grondin, R., Goulet, M., Di Paolo, T. and Bédard, P.J.
Cabergoline, a long-acting dopamine D_2-like receptor agonist, produces a sustained antiparkinsonian effect with transient dyskinesias in parkinsonian drug-naive primates (735) 298
Gu, X.Q. and Waxman, S.G.
Action potential-like responses in B104 cells with low Na^+ channel densities (735) 50

Hashimoto, M., see Takahashi, M. (735) 1
Hayashi, S., see Yamada, M. (735) 257
He, Y., Thong, P.S.P., Lee, T., Leong, S.K., Shi, C.Y., Wong, P.T.H., Yuan, S.Y. and Watt, F.
Increased iron in the substantia nigra of 6-OHDA induced parkinsonian rats: a nuclear microscopy study (735) 149
Heales, S.J.R., see Brand, M.P. (735) 169
Hennies, H.-H., see Selve, N. (735) 177
Herbison, A.E., see Condé, G.L. (735) 197
Hewlett, E.L., see Login, I.S. (735) 330
Hibiya, J., see Yamamura, H. (735) 83
Hodgson, D.M., see Morrow, N.S. (735) 141

ELSEVIER

Brain Research 735 (1996) 360–362

BRAIN RESEARCH

Author Index

Ali, S.F., see Freyaldenhoven, T.E. (735) 232
Ali, S.F., see Freyaldenhoven, T.E. (735) 42
Arai, R., Jacobowitz, D.M. and Nagatsu, I.
Calretinin is differentially localized in magnocellular oxytocin neurons of the rat hypothalamus. A double-labeling immunofluorescence study (735) 154
Asano, S., see Takuma, K. (735) 265
Augstein, K.-H., see Van der Staay, F.J. (735) 271
Avoli, M., Nagao, T., Köhling, R., Lücke, A. and Mattia, D.
Synchronization of rat hippocampal neurons in the absence of excitatory amino acid-mediated transmission (735) 188

Baba, A., see Takuma, K. (735) 265
Back, T., see Yamashita, K. (735) 285
Bassi, L., see Fornai, F. (735) 349
Bédard, P.J., see Grondin, R. (735) 298
Bernardi, G., see Figueredo-Cardenas, G. (735) 317
Besharse, J.C., see Grace, M.S. (735) 93
Beyreuther, K., see Storey, E. (735) 217
Beyreuther, K., see Storey, E. (735) 59
Bicknell, R.J., see Condé, G.L. (735) 197
Bloms-Funke, P., see Löscher, W. (735) 208
Brand, M.P., Briddon, A., Land, J.M., Clark, J.B. and Heales, S.J.R.
Impairment of the nitric oxide/cyclic GMP pathway in cerebellar slices prepared from the *hph-1* mouse (735) 169
Briddon, A., see Brand, M.P. (735) 169
Brown, J., see Horner, C.H. (735) 354
Buda, C., see Ledoux, L. (735) 108
Butcher, S.P., see Sharkey, J. (735) 67

Cadet, J.L., see Freyaldenhoven, T.E. (735) 232
Chang, M.C.J., see De Micheli, E. (735) 36
Chino, T., see Nomura, T. (735) 314
Chopin, P., see Cosi, C. (735) 343
Chopp, M., see Jiang, N. (735) 101
Clark, J.B., see Brand, M.P. (735) 169
Clark, M.M., see Forger, N.G. (735) 119
Condé, G.L., Herbison, A.E., Fernandez-Galaz, C. and Bicknell, R.J.
Estrogen uncouples noradrenergic activation of Fos expression in the female rat preoptic area (735) 197
Corsini, G.U., see Fornai, F. (735) 349
Cosi, C., Chopin, P. and Marien, M.
Benzamide, an inhibitor of poly(ADP-ribose) polymerase, attenuates methamphetamine-induced dopamine neurotoxicity in the C57Bl/6N mouse (735) 343
Creveling, C.R., see Nomura, T. (735) 314

Dahchour, A., Quertemont, E. and De Witte, P.
Taurine increases in the nucleus accumbens microdialysate after acute ethanol administration to naive and chronically alcoholised rats (735) 9
Darlington, C.L., Lawlor, P., Smith, P.F. and Dragunow, M.
Temporal relationship between the expression of Fos, Jun and Krox-24 in the guinea pig vestibular nuclei during the development of vestibular compensation for unilateral vestibular deafferentation (735) 173
Davies, H.A., see Horner, C.H. (735) 354
Delorenzi, A., see Romano, A. (735) 131
De Micheli, E., Chang, M.C.J. and Rapoport, S.I.
In vivo imaging of cortical membrane remodeling in rats with chronic unilateral ablation of nucleus basalis magnocellularis: use of radiolabeled palmitic acid (735) 36
D'Errigo, D.A., see Fornai, F. (735) 349
De Witte, P., see Dahchour, A. (735) 9
Di Paolo, T., see Grondin, R. (735) 298
Dragunow, M., see Darlington, C.L. (735) 173

Englberger, W., see Selve, N. (735) 177

Feit, H., see Jiang, N. (735) 101
Fernandez-Galaz, C., see Condé, G.L. (735) 197
Figueredo-Cardenas, G., Morello, M., Sancesario, G., Bernardi, G. and Reiner, A.
Colocalization of somatostatin, neuropeptide Y, neuronal nitric oxide synthase and NADPH-diaphorase in striatal interneurons in rats (735) 317
Fincher, A., see Frye, G.D. (735) 239
Forger, N.G., Galef Jr., B.G. and Clark, M.M.
Intrauterine position affects motoneuron number and muscle size in a sexually dimorphic neuromuscular system (735) 119
Fornai, F., Torracca, M.T., Bassi, L., D'Errigo, D.A., Scalori, V. and Corsini, G.U.
Norepinephrine loss selectively enhances chronic nigrostriatal dopamine depletion in mice and rats (735) 349
Freyaldenhoven, T.E. and Ali, S.F.
Heat shock proteins protect cultured fibroblasts from the cytotoxic effects of MPP^+ (735) 42
Freyaldenhoven, T.E., Cadet, J.L. and Ali, S.F.
The dopamine-depleting effects of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine in CD-1 mice are gender-dependent (735) 232
Friderichs, E., see Selve, N. (735) 177
Fritze, K., see Yamashita, K. (735) 285
Frye, G.D. and Fincher, A.
Sensitivity of postsynaptic $GABA_B$ receptors on hippocampal CA1 and CA3 pyramidal neurons to ethanol (735) 239
Fujita, S., see Yamamura, H. (735) 83

Galef Jr., B.G., see Forger, N.G. (735) 119
Garrick, T., see Morrow, N.S. (735) 141
Goulet, M., see Grondin, R. (735) 298
Grace, M.S., Wang, L.A., Pickard, G.E., Besharse, J.C. and Menaker, M.
The *tau* mutation shortens the period of rhythmic photoreceptor outer segment disk shedding in the hamster (735) 93
Gregory, J.E., see Wise, A.K. (735) 125
Grondin, R., Goulet, M., Di Paolo, T. and Bédard, P.J.
Cabergoline, a long-acting dopamine D_2-like receptor agonist, produces a sustained antiparkinsonian effect with transient dyskinesias in parkinsonian drug-naive primates (735) 298
Gu, X.Q. and Waxman, S.G.
Action potential-like responses in B104 cells with low Na^+ channel densities (735) 50

Hashimoto, M., see Takahashi, M. (735) 1
Hayashi, S., see Yamada, M. (735) 257
He, Y., Thong, P.S.P., Lee, T., Leong, S.K., Shi, C.Y., Wong, P.T.H., Yuan, S.Y. and Watt, F.
Increased iron in the substantia nigra of 6-OHDA induced parkinsonian rats: a nuclear microscopy study (735) 149
Heales, S.J.R., see Brand, M.P. (735) 169
Hennies, H.-H., see Selve, N. (735) 177
Herbison, A.E., see Condé, G.L. (735) 197
Hewlett, E.L., see Login, I.S. (735) 330
Hibiya, J., see Yamamura, H. (735) 83
Hodgson, D.M., see Morrow, N.S. (735) 141

Hönack, D., see Löscher, W. (735) 208
Horner, C.H., Davies, H.A., Brown, J. and Stewart, M.G.
Reduction in numerical synapse density in chick (*Gallus domesticus*) dorsal hippocampus following transient cerebral ischaemia. (This article was originally published as a Short communication in *Brain Res.* 703 (1995) 245–250, but erroneously with non-correlating figure legends — here follows the entire article as it should have appeared) (735) 354
Horváth, E., see Van der Staay, F.J. (735) 271
Hossmann, K.-A., see Yamashita, K. (735) 285
Hozumi, I., see Yamada, M. (735) 257

Ichikawa, H. and J. Helke, C.
Coexistence of calbindin D-28k and NADPH-diaphorase in vagal and glossopharyngeal sensory neurons of the rat (735) 325
Inoue, K., see Nomura, T. (735) 314
Inuzuka, T., see Yamada, M. (735) 257
Iwata, K., see Yamamura, H. (735) 83

Jacobowitz, D.M., see Arai, R. (735) 154
J. Helke, C., see Ichikawa, H. (735) 325
Jiang, N., Chopp, M., Stein, D. and Feit, H.
Progesterone is neuroprotective after transient middle cerebral artery occlusion in male rats (735) 101
Jouvet, M., see Ledoux, L. (735) 108

Karasawa, N., see Nomura, T. (735) 314
Kato, T., see Liu, J.K. (735) 30
Kawakami, T., see Kusakabe, T. (735) 307
Kelly, J.S., see Sharkey, J. (735) 67
Kishida, Y., see Takuma, K. (735) 265
Kitajima, K., see Yamamura, H. (735) 83
Kito, S., see Semba, J. (735) 335
Köhling, R., see Avoli, M. (735) 188
Komatsu, F., see Nomura, T. (735) 314
Kurihara, K., see Kusakabe, T. (735) 307
Kurisu, K., see Wakisaka, S. (735) 249
Kusakabe, T., Kawakami, T., Ono, M., Syoui, N., Kurihara, K., Takenaka, T. and Sawada, H.
Precise coexistence of regulatory peptides in the nerve fibers of the amphibian carotid labyrinth demonstrated by a combination of double immunofluorescence labelling and a multiple dye filter (735) 307

Land, J.M., see Brand, M.P. (735) 169
Lawlor, P., see Darlington, C.L. (735) 173
Ledoux, L., Sastre, J.-P., Buda, C., Luppi, P.-H. and Jouvet, M.
Alterations in c-fos expression after different experimental procedures of sleep deprivation in the cat (735) 108
Lee, T., see He, Y. (735) 149
Leong, S.K., see He, Y. (735) 149
Liu, J.K. and Kato, T.
Simultaneous determination of cholecystokinin-like immunoreactivity and dopamine release after treatment with veratrine, NMDA, scopolamine and SCH23390 in rat medial frontal cortex: a brain microdialysis study (735) 30
Locatelli, F., see Romano, A. (735) 131
Login, I.S. and Hewlett, E.L.
Adenylate cyclase in striatal cholinergic interneurons regulates acetylcholine release (735) 330
Löscher, W., Hönack, D. and Bloms-Funke, P.
The novel antiepileptic drug levetiracetam (ucb L059) induces alterations in GABA metabolism and turnover in discrete areas of rat brain and reduces neuronal activity in substantia nigra pars reticulata (735) 208
Lücke, A., see Avoli, M. (735) 188
Luppi, P.-H., see Ledoux, L. (735) 108

Maldonado, H., see Romano, A. (735) 131
Marien, M., see Cosi, C. (735) 343
Masters, C.L., see Storey, E. (735) 217
Masters, C.L., see Storey, E. (735) 59
Matsuda, T., see Takuma, K. (735) 265
Matsuo, A., see Terai, K. (735) 159
Mattia, D., see Avoli, M. (735) 188
McArdle, J.J., see Ye, J.-H. (735) 20
McGeer, P.L., see Terai, K. (735) 159
Menaker, M., see Grace, M.S. (735) 93
Mikler, J.R., see Sandirasegarane, L. (735) 311
Miyawaki, Y., see Wakisaka, S. (735) 249
Miyoshi, R., see Semba, J. (735) 335
Morello, M., see Figueredo-Cardenas, G. (735) 317
Morrow, N.S., Hodgson, D.M. and Garrick, T.
Microinjection of thyrotropin-releasing hormone analogue into the central nucleus of the amygdala stimulates gastric contractility in rats (735) 141

Nagao, T., see Avoli, M. (735) 188
Nagatsu, I., see Arai, R. (735) 154
Nagatsu, I., see Nomura, T. (735) 314
Nomura, H., see Yamamura, H. (735) 83
Nomura, T., Inoue, K., Creveling, C.R., Komatsu, F., Ohta, N., Chino, T., Karasawa, N. and Nagatsu, I.
Immunocytochemical localization of aromatic L-amino acid decarboxylase and catechol-*O*-methyltransferase in blood vessel wall of the human dental pulp (735) 314

Ohta, N., see Nomura, T. (735) 314
Ono, M., see Kusakabe, T. (735) 307

Pedreira, M.E., see Romano, A. (735) 131
Pickard, G.E., see Grace, M.S. (735) 93
Pickett-Heaps, J., see Storey, E. (735) 59
Proske, U., see Wise, A.K. (735) 125

Quertemont, E., see Dahchour, A. (735) 9

Rapoport, S.I., see De Micheli, E. (735) 36
Reimann, W., see Selve, N. (735) 177
Reiner, A., see Figueredo-Cardenas, G. (735) 317
Ritchie, I.M., see Sharkey, J. (735) 67
Roberts Jr., E.L. and Sick, T.J.
Aging impairs regulation of intracellular pH in rat hippocampal slices (735) 339
Romano, A., Locatelli, F., Delorenzi, A., Pedreira, M.E. and Maldonado, H.
Effects of activation and inhibition of cAMP-dependent protein kinase on long-term habituation in the crab *Chasmagnathus* (735) 131

Sancesario, G., see Figueredo-Cardenas, G. (735) 317
Sandirasegarane, L., Mikler, J.R., Tuchek, J.M. and Sulakhe, P.V.
Enhanced forebrain nitric oxide synthase activity in epileptic fowl (735) 311
Sastre, J.-P., see Ledoux, L. (735) 108
Sawada, H., see Kusakabe, T. (735) 307
Scalori, V., see Fornai, F. (735) 349
Selve, N., Englberger, W., Friderichs, E., Hennies, H.-H., Reimann, W. and Wilffert, B.
Galanin receptor antagonists attenuate spinal antinociceptive effects of DAMGO, tramadol and non-opioid drugs in rats (735) 177
Semba, J., Miyoshi, R. and Kito, S.
Nicotine protects against the dexamethasone potentiation of kainic acid-induced neurotoxicity in cultured hippocampal neurons (735) 335
Seong, Y.-H., see Takuma, K. (735) 265
Sharkey, J., Ritchie, I.M., Butcher, S.P. and Kelly, J.S.
Comparison of the patterns of altered cerebral glucose utilisation produced by competitive and non-competitive NMDA receptor antagonists (735) 67
Shi, C.Y., see He, Y. (735) 149
Shimizu, N., see Yamamura, H. (735) 83
Sick, T.J., see Roberts Jr., E.L. (735) 339
Smith, P.F., see Darlington, C.L. (735) 173
Spurck, T., see Storey, E. (735) 59
Stein, D., see Jiang, N. (735) 101
Stewart, M.G., see Horner, C.H. (735) 354
Storey, E., Beyreuther, K. and Masters, C.L.
Alzheimer's disease amyloid precursor protein on the surface of cortical neurons in primary culture co-localizes with adhesion patch components (735) 217
Storey, E., Spurck, T., Pickett-Heaps, J., Beyreuther, K. and Masters, C.L.
The amyloid precursor protein of Alzheimer's disease is found on the surface of static but not actively motile portions of neurites (735) 59
Sulakhe, P.V., see Sandirasegarane, L. (735) 311
Sumino, R., see Yamamura, H. (735) 83
Syoui, N., see Kusakabe, T. (735) 307

Takahashi, H., see Yamada, M. (735) 257
Takahashi, M. and Hashimoto, M.
Lowering extracellular Na^+ concentration causes NMDA receptor-mediated neuronal death in cultured rat hippocampal slices (735) 1
Takenaka, T., see Kusakabe, T. (735) 307
Takuma, K., Matsuda, T., Kishida, Y., Asano, S., Seong, Y.-H. and Baba, A.
Heat shock protects cultured rat astrocytes in a model of reperfusion injury (735) 265

Terai, K., Matsuo, A. and McGeer, P.L.
Enhancement of immunoreactivity for NF-κB in the hippocampal formation and cerebral cortex of Alzheimer's disease (735) 159
Thong, P.S.P., see He, Y. (735) 149
Toda, K., see Yamamura, H. (735) 83
Torracca, M.T., see Fornai, F. (735) 349
Tsuboi, Y., see Yamamura, H. (735) 83
Tsuji, S., see Yamada, M. (735) 257
Tuchek, J.M., see Sandirasegarane, L. (735) 311

Van der Staay, F.J., Augstein, K.-H. and Horváth, E.
Sensorimotor impairments in rats with cerebral infarction, induced by unilateral occlusion of the left middle cerebral artery: strain differences and effects of the occlusion site (735) 271
Vogel, P., see Yamashita, K. (735) 285

Wakisaka, S., Youn, S.H., Miyawaki, Y. and Kurisu, K.
The effects of peripheral nerve injury of the masseteric nerve on the levels of calcium binding proteins and neuropeptide Y, and their correlation in the mesencephalic trigeminal nucleus of the rat (735) 249
Wang, L.A., see Grace, M.S. (735) 93
Watt, F., see He, Y. (735) 149
Waxman, S.G., see Gu, X.Q. (735) 50
Wiessner, C., see Yamashita, K. (735) 285
Wilffert, B., see Selve, N. (735) 177
Wise, A.K., Gregory, J.E. and Proske, U.
The effects of muscle conditioning on movement detection thresholds at the human forearm (735) 125
Wong, P.T.H., see He, Y. (735) 149

Yamada, M., Hayashi, S., Hozumi, I., Inuzuka, T., Tsuji, S. and Takahashi, H.
Subcellular localization of growth inhibitory factor in rat brain: light and electron microscopic immunohistochemical studies (735) 257
Yamamura, H., Iwata, K., Tsuboi, Y., Toda, K., Kitajima, K., Shimizu, N., Nomura, H., Hibiya, J., Fujita, S. and Sumino, R.
Morphological and electrophysiological properties of ACCx nociceptive neurons in rats (735) 83
Yamashita, K., Vogel, P., Fritze, K., Back, T., Hossmann, K.-A. and Wiessner, C.
Monitoring the temporal and spatial activation pattern of astrocytes in focal cerebral ischemia using in situ hybridization to GFAP mRNA: comparison with *sgp-2* and *hsp70* mRNA and the effect of glutamate receptor antagonists (735) 285
Ye, J.-H. and McArdle, J.J.
2,3-Butanedione monoxime modifies the glycine-gated chloride current of acutely isolated murine hypothalamic neurons (735) 20
Youn, S.H., see Wakisaka, S. (735) 249
Yuan, S.Y., see He, Y. (735) 149